
RICOH Digital colour multifunction printers imagine. change. IM C2010(A) IM C2510 IM C3010(A) IM C3510(A) IM C4510(A) IM C5510À **IM C6010** ☑ Printer ☑ Copier ☑ Scanner ☑ Fax IM C3010(A) IM C3510(A) IM C2010(A) IM C2510

Let's make your print infrastructure a gateway to your digital workspace

As workstyles evolve, digitalisation, agility and teamwork are essential for your organisation to remain competitive. Ricoh's Managed Print & Automation Services unlock the value of your print infrastructure with tailored, managed solutions which empower your people, improve efficiency, reduce cost, enhance security and drive sustainability. Our market-leading IM C Series is innovatively designed. Devices seamlessly integrate with cloud-based services and offer high-quality print, scanning and workflow automation.





Achieve your sustainability goals

With environmental impact at the top of the global agenda, a sustainable approach to organisational operations is essential. Whether reducing resource and energy consumption to save costs or demonstrating a responsible approach to procuring products and services, the right print infrastructure and partner can support your sustainability goals.

A carbon neutral future

At Ricoh, we are firmly committed to reducing our environmental impact and driving a sustainable approach. The IM C Series significantly reduces energy consumption, as well as paper consumption by digitising workflows through scanning; helping to reduce your carbon footprint and costs.

More energy savings

The IM C Series boasts industry-leading low Typical Energy Consumption (TEC) values and automatic eco-mode energy saving (0.3W) when in sleep mode. They use an innovative new toner that fuses at a lower temperature, resulting in the ideal intelligent device with sustainability at its core.

More recycled plastic

Designed for sustainability across its lifecycle, the IM C Series is made using 50% post-consumer recycled plastic while PET toner bottles are produced from 100% recycled plastic. Plastic packaging is reduced by 54% thanks to a more sustainable material and no excess packaging.



Secure and efficient

In an increasingly digital world, organisations must protect sensitive data while enabling flexible workstyles. Our printers are designed and manufactured with end-to-end security protection and includes the latest security features – RICOH Always Current Technology and Multi-Factor Authentication. Secure cloud infrastructure ensures safe access – anywhere and any device.

Ongoing security

RICOH's Always Current Technology provides access to security upgrades and automatically downloads updates. New security tools include WPA3 authentication for wireless encryption and the latest hardware security module. You can also restrict networks by port name and protocol as well as IP address.



More security - Multi-Factor Authentication

Multi-Factor Authentication, including new card-based access to our printing devices, to minimise the risk of data breaches.



Improved admin management system

The IM C Series offers privileged admin account control with unlimited Multi-Function Printer administrator accounts and customisable permissions. This eliminates risks related to sharing IDs and can be linked to user ID systems including Microsoft Windows and LDAP platforms.





Enhanced productivity and seamless employee experience

Ricoh's intelligent devices enable the ultimate employee experience with features that save time and increase efficiency. The IM C Series automates workflows that accelerate processes and encourage collaboration. An optimised print infrastructure empowers employees to transition to digital ways of working easily and securely; improving their workplace experience.

Third-generation Smart Operation Panel

Our user-friendly IM C Smart Operation Panel has been upgraded for an even more intuitive and enjoyable experience. Brightness, touch sensitivity and position detection have been improved for optimal access to the device's many resources and functions.



Improved user experience

- · Android OS 10 for better security and usability
- · Faster CPU, high RAM memory and enhanced performance
- Enhanced accessibility to device, tiltable for better visibility & new capacitive touch sensor
- · Fast wake up time from sleep mode

Efficiencies in paper handling

New peripherals ensure professional results with automated finishing possibilities. The single pass double-sided document feeder capably handles high volumes, special paper and card types. High-end options include a hybrid and booklet finisher for that extra touch.





Supporting your entire digital journey now and into the future

We understand the digital transformation that organisations are undertaking. We are here to set your organisation up for success and equip your people with the right tools to stay ahead. Our Managed Print & Automation Services can adapt to your changing needs, offering customisation, flexibility and reliability.

Scanning and automation

Scanning and automation just got easier and quicker. Scanning creates digitised documents that can automate processes like invoice and contract management. Uploading documents into your systems for archiving, knowledge sharing or as part of a workflow is now simpler with Ricoh's software.



Document management storage

Our scalable document management applications drive significant cost savings alongside process improvements. By taking print to the cloud, you can set location-aware printers and enable users to print anytime, anywhere.



Transitioning to the cloud

Our cloud software solutions are readily available and easy to integrate with your existing IT infrastructure, allowing you to enhance the capabilities of your print device. You can also securely connect mobile devices to carry out tasks from your phone or tablet.



The choice is yours

Simple to use with sophisticated and professional results, Ricoh's IM C Series is the perfect tool for your digital workspace. Our trusted quality and technical expertise are evident from every angle.

IM C2010/IM C2010A/IM C2510

- 20 to 25 ppm A3 all-in-one printer for all-round support
- Scan speed 150ipm (simplex)/300ipm(duplex) in SPDF
- Fast warm-up time of 24 seconds
- TEC value (kWh/week): 0.20 (20ppm)/0.25 (25ppm)
- B/W power consumption (operation): 411.8 W (20ppm)/449.2 W (25ppm), Sleep mode: 0.3 W

IM C3010/IM C3010A/IM C3510/IM C3510A


- 30 to 35 ppm A3 all-in-one printer for high productivity
- Scan speed 150ipm (simplex)/300ipm(duplex) in SPDF
- · Fast warm-up time of 24 seconds
- TEC value (kWh/week): 0.30 (30ppm)/0.35 (35ppm)
- B/W power consumption (operation): 464.4 W (30ppm)/500.5 W (35ppm), Sleep mode: 0.3 W

IM C4510/IM C4510A/IM C5510A/IM C6010

- Productive 45 to 60 ppm A3 all-in-one printer for top performance
- Scan speed 150ipm (simplex)/300ipm(duplex) in SPDF
- · Super fast warm-up time of 23 seconds
- TEC value (kWh/week): 0.45 (45ppm)/0.62 (55ppm)/0.67 (60ppm)
- B/W power consumption (operation): 576.6 W (45ppm)/726 W (55ppm)/763.3 W (60ppm), Sleep mode: 0.32 W



Hardware configuration



IM C2010(A) / IM C2510 / IM C3010(A) / IM C3510(A) / IM C4510(A) / IM C5510A / IM C6010

	IM C2010(A)	IM C2510	IM C3010(A)	IM C3510(A)	IM C4510(A)	IM C5510A	IM C6010
GENERAL							
Warm-up time	24 seconds	24 seconds	24 seconds	24 seconds	23 seconds	23 seconds	23 seconds
First copy speed: B/W	5.1 seconds	5.1 seconds	4.5 seconds	4.5 seconds	3.6 seconds	2.9 seconds	2.9 seconds
First copy speed: full colour	7.4 seconds	7.4 seconds	6.9 seconds	6.9 seconds	5.4 seconds	4.2 seconds	4.2 seconds
Continuous output speed	20 ppm	25 ppm	30 ppm	35 ppm	45 ppm	55 ppm	60 ppm
Memory: standard	6 GB	6 GB	8 GB	8 GB	8 GB	8 GB	8 GB
Memory: maximum	6 GB	6 GB	8 GB	8 GB	8 GB	8 GB	8 GB
SD: standard				256 GB			
SSD: optional				1 TB			
IDD: optional				320 GB			
·	100 abaata	100 abouts	100 sheets		100 abouto		
RDF capacity	100 sheets 220 sheets	100 sheets		100 sheets	100 sheets	220 sheets	220 sheets
PDF capacity Veight ARDF model (kg)	89.7	89.7	220 sheets 92.9	220 sheets 92.9	220 sheets 94.4	220 Sheets	220 SHEELS
Veight SPDF model (kg)	96.1	09.1	99.3	99.3	100.8	100.8	100.8
imensions ARDF model:	30.1	-	55.5	587 x 701 x 913 mm	100.0	100.6	100.6
VxDxH				307 X 701 X 913 111111			
limensions SPDF model:				587 x 701 x 963 mm			
/xDxH				307 X 701 X 903 IIIII			
ower source				220 - 240 V, 50 - 60 Hz			
				220 - 240 V, 30 - 00 Hz			
OPIER							
Multiple copying				Up to 999 copies			
Resolution				600 dpi			
Zoom			Fro	m 25% to 400% in 1% ste	eps		
PRINTER							
irst print speed: B/W	4.5 seconds	4.5 seconds	4 seconds	4 seconds	3.2 seconds	2.5 seconds	2.4 seconds
irst print speed: full colour	7 seconds	7 seconds	6.6 seconds	6.6 seconds	5.2 seconds	3.8 seconds	3.8 seconds
PU (IM C2010(A), IM C2510,			A	ApolloLake E3930 1.3 GHz	Z		
M C3010(A), IM C3510(A))			A	ApolloLake E3940 1.6 GHz	Z		
Printer language: standard			PCL5c, PCL6, Pos	stScript 3 (emulation), PDF	direct (emulation)		
Printer language: option		Genu	ine Adobe® PostScr	ipt®3™, XPS, PictBridge,	PDF Direct from Ad	lobe®	
Print resolution: maximum				,800 x 1,200 dpi equivaler			
letwork interface: standard		Ethornot 10 baco		base-T, USB Host I/F Typ		Type B. Blueteeth	
		Ethernet 10 base-				Type D, DidetootiT	
Network interface: option				802.11 a/b/g/n/ac), Addit			
Mobile printing capability			Apple AirPrint, I	Mopria®, Ricoh Smart De	vice Connector		
Vindows® environments	Windows® 8.1, Win	dows® 10, Windows	® 11, Windows® Ser	ver 2012R2, Windows® S	Server 2016, Window	s® Server 2019, Win	dows® Server 20
Mac OS environments			Ma	cintosh OS X v10.15 or la	ter		
JNIX environments		UNIX Su	n® Solaris. HP-UX. S	CO OpenServer, RedHat	® Linux Enterprise.	IBM® AIX	
SAP® environments				SAP® R/3®, SAP® S/4®	•		
Other supported environments				IBM iSeries			
SCANNER							
Scanning speed: ARDF (A4 LEF,				80 ipm (200/300 dpi)			
B/W full colour)							
B/W full colour) Scanning speed: SPDF (A4 LEF,			150 i	80 ipm (200/300 dpi) pm (simplex)/300 ipm (du	plex)		
B/W full colour) Scanning speed: SPDF (A4 LEF, 200dpi, B/W full colour)			150 i		plex)		
Scanning speed: ARDF (A4 LEF, 3/W full colour) Scanning speed: SPDF (A4 LEF, 200dpi, B/W full colour) Resolution: maximum			ingle page PDF, Sing	pm (simplex)/300 ipm (du 1,200 dpi gle page High compression	n PDF, Single page		
B/W full colour) Scanning speed: SPDF (A4 LEF, 200dpi, B/W full colour) Resolution: maximum			ingle page PDF, Sing	pm (simplex)/300 ipm (du 1,200 dpi	n PDF, Single page		
&W full colour) ccanning speed: SPDF (A4 LEF, 00dpi, BW full colour) Resolution: maximum ille formats			ingle page PDF, Sing	pm (simplex)/300 ipm (du 1,200 dpi lle page High compression ngle page Encryption PDF	n PDF, Single page		
BW full colour) Scanning speed: SPDF (A4 LEF, 100dpi, BW full colour) Resolution: maximum File formats Scan modes			ingle page PDF, Sing	pm (simplex)/300 ipm (du 1,200 dpi lle page High compression ngle page Encryption PDF	n PDF, Single page		
&W full colour) ccanning speed: SPDF (A4 LEF, 00dpi, B/W full colour) Resolution: maximum iile formats scan modes EAX Circuit		compression PDF, I	ingle page PDF, Sing Multi page PDF/A, Sir	pm (simplex)/300 ipm (du 1,200 dpi gle page High compression ngle page Encryption PDF E-mail, Folder, USB	n PDF, Single page I , Multi page Encrypt	ion PDF, Single/multi	
W full colour) ccanning speed: SPDF (A4 LEF, Odopi, B/W full colour) tesolution: maximum ille formats ccan modes AX Circuit ransmission speed		compression PDF, I	ingle page PDF, Sing Multi page PDF/A, Sir stely 3 seconds (200	pm (simplex)/300 ipm (du 1,200 dpi de page High compression gle page Encryption PDF E-mail, Folder, USB PSTN, PBX x 100 dpi, JBIG, ITUT #1 c x 100 dpi, JMR, ITUT #1 c	n PDF, Single page i , Multi page Encrypt	ion PDF, Single/multi	
W full colour) canning speed: SPDF (A4 LEF, 00dpi, BW full colour) tesolution: maximum ile formats can modes AX dircuit ransmission speed dodem speed: maximum		compression PDF, I	ingle page PDF, Sing Multi page PDF/A, Sin sitely 3 seconds (200) titely 3 seconds (200)	pm (simplex)/300 ipm (du 1,200 dpi de page High compression ngle page Encryption PDF E-mail, Folder, USB PSTN, PBX x 100 dpi, JBIG, ITUT #1 x x 100 dpi, MMR, ITUT #1 33.6 Kbps	n PDF, Single page i , Multi page Encrypt chart TTI off, memor chart TTI off, memor	ion PDF, Single/multi	
W full colour) canning speed: SPDF (A4 LEF, 00dpi, BW full colour) tesolution: maximum ile formats can modes AX dircuit ransmission speed dodem speed: maximum		compression PDF, I	ingle page PDF, Sing Multi page PDF/A, Sin sitely 3 seconds (200) titely 3 seconds (200)	pm (simplex)/300 ipm (du 1,200 dpi de page High compression gle page Encryption PDF E-mail, Folder, USB PSTN, PBX x 100 dpi, JBIG, ITUT #1 c x 100 dpi, JMR, ITUT #1 c	n PDF, Single page i , Multi page Encrypt chart TTI off, memor chart TTI off, memor	ion PDF, Single/multi	
W full colour) canning speed: SPDF (A4 LEF, 00dpi, B/W full colour) tesolution: maximum ile formats can modes AX dircuit ransmission speed todem speed: maximum tesolution: standard		compression PDF, I	ingle page PDF, Sing Multi page PDF/A, Sin ately 3 seconds (200) tely 3 seconds (200)	pm (simplex)/300 ipm (du 1,200 dpi de page High compression ngle page Encryption PDF E-mail, Folder, USB PSTN, PBX x 100 dpi, JBIG, ITUT #1 x x 100 dpi, MMR, ITUT #1 33.6 Kbps	n PDF, Single page i , Multi page Encrypt chart TTI off, memor chart TTI off, memor	ion PDF, Single/multi	
/W full colour) canning speed: SPDF (A4 LEF, 00dpi, B/W full colour) tesolution: maximum ille formats can modes AX circuit ransmission speed dodem speed: maximum tesolution: standard tesolution: option		compression PDF, I	ingle page PDF, Sing Multi page PDF/A, Sin ately 3 seconds (200) tely 3 seconds (200)	pm (simplex)/300 ipm (du 1,200 dpi lle page High compression ngle page Encryption PDF E-mail, Folder, USB PSTN, PBX x 100 dpi, JBIG, ITUT #1 (x 100 dpi, MMR, ITUT #1 (x 10 dpi, MMR	n PDF, Single page i , Multi page Encrypt chart TTI off, memor chart TTI off, memor	ion PDF, Single/multi	
/W full colour) canning speed: SPDF (A4 LEF, 00dpi, B/W full colour) tesolution: maximum ille formats can modes AX circuit ransmission speed fodem speed: maximum tesolution: standard tesolution: option tompression method		compression PDF, I	ingle page PDF, Sing Multi page PDF/A, Sin ately 3 seconds (200) tely 3 seconds (200)	pm (simplex)/300 ipm (du 1,200 dpi lle page High compression ngle page Encryption PDF E-mail, Folder, USB PSTN, PBX x 100 dpi, JBIG, ITUT #1 dx x 100 dpi, MMR, ITUT #1 dx x 33.6 Kbps x3.85 line/mm, 200x100 dx x15.4 line/mm, 400x400 dx MH, MR, MMR, JBIG	n PDF, Single page i , Multi page Encrypt chart TTI off, memor chart TTI off, memor	ion PDF, Single/multi	
W full colour) canning speed: SPDF (A4 LEF, Dodpi, BW full colour) esolution: maximum ile formats can modes AX ircuit ransmission speed lodem speed: maximum esolution: standard esolution: option ompression method canning speed (A4 LEF): ARDF		compression PDF, I	ingle page PDF, Sing Multi page PDF/A, Sin ately 3 seconds (200) tely 3 seconds (200)	pm (simplex)/300 ipm (du 1,200 dpi lle page High compression ngle page Encryption PDF E-mail, Folder, USB PSTN, PBX x 100 dpi, JBIG, ITUT #1 c x 100 dpi, JMMR, ITUT #1 d 33.6 Kbps x3.85 line/mm, 200x100 d x15.4 line/mm, 400x400 c MH, MR, MMR, JBIG 68 spm	n PDF, Single page i , Multi page Encrypt chart TTI off, memor chart TTI off, memor	ion PDF, Single/multi	
W full colour) ccanning speed: SPDF (A4 LEF, Odotpi, B/W full colour) tesolution: maximum ille formats ccan modes AX Circuit transmission speed dodem speed: maximum tesolution: standard tesolution: option compression method ccanning speed (A4 LEF): ARDF tecanning speed (A4 LEF): SPDF		compression PDF, I	ingle page PDF, Sing Multi page PDF/A, Sin ately 3 seconds (200) tely 3 seconds (200)	pm (simplex)/300 ipm (du 1,200 dpi lle page High compression gle page Encryption PDF E-mail, Folder, USB PSTN, PBX x 100 dpi, JBIG, ITUT #1 c x 100 dpi, MMR, ITUT #1 c 3.3.6 Kbps (3.85 line/mm, 200x100 di x15.4 line/mm, 400x400 c MH, MR, MMR, JBIG 68 spm 90 spm	n PDF, Single page i , Multi page Encrypt chart TTI off, memor chart TTI off, memor	ion PDF, Single/multi	
3/W full colour) Scanning speed: SPDF (A4 LEF, 200dpi, B/W full colour) Resolution: maximum File formats		compression PDF, I	ingle page PDF, Sing Multi page PDF/A, Sin ately 3 seconds (200) tely 3 seconds (200)	pm (simplex)/300 ipm (du 1,200 dpi lle page High compression ngle page Encryption PDF E-mail, Folder, USB PSTN, PBX x 100 dpi, JBIG, ITUT #1 c x 100 dpi, JMMR, ITUT #1 d 33.6 Kbps x3.85 line/mm, 200x100 d x15.4 line/mm, 400x400 c MH, MR, MMR, JBIG 68 spm	n PDF, Single page i , Multi page Encrypt chart TTI off, memor chart TTI off, memor	ion PDF, Single/multi	

IM C2010(A) / IM C2510 / IM C3010(A) / IM C3510(A) / IM C4510(A) / IM C5510A / IM C6010

IM C2010(A) IM C2510 IM C3010(A) IM C3510(A) IM C4510(A) IM C5510A IM C6010

PAPER HANDLING

Recommended paper size	Standard paper tray(s): SRA3, A3, A4, A5, A6, B4, B5, B6, Envelopes Optional paper tray(s): SRA3, A3, A4, A5, A6, B4, B5, B6, Envelopes Bypass tray: SRA3, A3, A4, A5, A6, B4, B5, B6, Envelopes, Custom Size paper						
Paper input: standard				1,200 sheets			
Paper input: maximum Paper output: standard	2,300 sheets	2,300 sheets	4,850 sheets	4,850 sheets	4,850 sheets	4,850 sheets	4,850 sheets
				500 sheets			
Paper output: max. (IM C4510(A), IM C5510A, IM C6010)				3,625 sheets			
Paper weight : Trays	60 - 300 g/m ²	60 - 300 g/m ²	60 - 300 g/m ²	60 - 300 g/m²	60 - 300 g/m ²	60 - 300 g/m ²	60 - 300 g/m ²
Paper weight : Bypass	52 - 300 g/m ²	52 - 300 g/m ²	52 - 300 g/m²	52 - 300 g/m ²	52 - 300 g/m ²	52 - 300 g/m ²	52 - 300 g/m ²
Paper weight : Duplex	52 - 169 g/m ²	52 - 169 g/m ²	52 - 256 g/m ²	52 - 256 g/m ²	52 - 256 g/m ²	52 - 256 g/m ²	52 - 256 g/m ²
Paper types	Plain paper, Recycle	d paper, Special pape	r, Colour paper, Lette	rhead, Cardstock, Pre Label paper	orinted paper, Bond pa	aper, Coated paper, Ei	nvelope, Gloss pape



















ECOLOGY

Power consumption: max.	< 1,700 W	< 1,700 W	< 1,700 W	< 1,700 W	< 1,850 W	< 1,850 W	< 1,850 W
Power consumption operation: B&W	411.8 W	449.2 W	464.4 W	500.5 W	576.6 W	726 W	763.3 W
Power consumption operation: Full colour	456.3 W	494.5 W	515.3 W	543.6 W	664.9 W	827.1 W	871.2 W
Power consumption: ready	37.7 W	37.7 W	38.5 W	38.5 W	40.5 W	40.6 W	40.1 W
Power consumption: sleep	0.3 W	0.3 W	0.3 W	0.3 W	0.32 W	0.32 W	0.32 W
TEC*	0.2 kWh/week	0.25 kWh/week	0.3 kWh/week	0.35 kWh/week	0.45 kWh/week	0.62 kWh/week	0.67 kWh/week

* It is a reference value based on the ENERGY STAR Ver.3.2 test

INPUT/OUTPUT TRAYS AND FINISHER OPTIONS

1x 550-sheet paper tray, 2x 550-sheet paper tray, 2,000-sheet Large capacity tray, 1,650-sheet side Large capacity tray, 1,000-sheet Hybrid finisher, 3,000-sheet finisher, 1,000-sheet Booklet finisher, 3,000-sheet booklet finisher, 250-sheet Internal finisher, Stapleless internal finisher, Internal multi-fold unit, Internal shift tray, One-bin tray, Output jogger unit

OTHER OPTIONS

Fax unit, G3 Interface, Fax connection unit, Fax memory unit, Cabinet, Caster table, Side Tray, Banner paper guide tray, Punch units, IPDS unit, Camera direct print card, PostScript 3, IEEE 802.11 a/b/g/n/ac, Device server unit, File format converter, OCR unit, Page keeper, Imageable area extension unit, ADF handle, Counter I/F unit, NFC card reader, EFI controller, EFI Adobe Acrobat, EFI Color Profiler Suite, EFI Jobflow, EFI Fiery ColorRight, EFI Impose, EFI Compose, EFI Fiery Automation, EFI Hot folders, EFI JobExpert and PDF Processing Kit, Unicode Font Package for SAP, Card reader cover, SSD 1TB option, Enhanced Security SSD, HDD Option, Bridge unit, XPS, SD card for fonts, Toner bottle lock, Stapleless unit, FAX stamp, Antimicrobial screen protector

CONSUMABLES

Toner (black)	30,000 prints	30,000 prints	40,000 prints	40,000 prints	42,000 prints	42,000 prints	42,000 prints
Toner (cyan/magenta/yellow)	18,000 prints	18,000 prints	28,000 prints				
Consumable yield based on 5%	2p/j	2p∕j	3p/j	3p⁄j	4p∕j	4p∕j	4p/j
coverage/A4							

For availability of models, options and software, please consult your local supplier.

Ricoh UK Ltd.

800 Pavilion Drive Northampton Business Park NN4 7YL Northampton United Kingdom



+44(0)1604 814900



www.ricoh.co.uk